

Associate Professor of Orthopaedics Chief - Division of Sports Medicine Tel: (212) 598-6784

Post Operative Rehabilitation Protocol Following Ulnar Collateral Ligament Reconstruction Using Autogenous Graft

Name:	Date:
Diagnosis:	Date of Surgery:
Phase I -Immediate Post Operative Pha	se
• Goals	
 Protect healing tissue 	
 Retard muscular atrophy 	
 Decrease pain/inflammation 	
Week 1	
 Posterior splint at 90° elbow 	flexion for 7 days
 Brace: application of function 	al brace set at 30-100° at day 7-10 after splint removed
o ROM: wrist AROM ext/flexion	ı İ
 Elbow compression dressing 	2-3 days
Exercises	•
Gripping	
 Wrist ROM (passive o 	nly)
 Shoulder isometrics (no shoulder ER)
 Biceps isometrics 	
Cryotherapy	
Week 2	
o Brace: Elbow ROM 25-100° in	ı brace
 Gradually increase RC 	OM 5° ext and 10° of flexion per week
 Excercises 	•
 Continue all exercises 	listed above
Elbow ROM in brace	
 Initiate elbow extensi 	on isometrics
• Week 3	
o Brace: Elbow ROM 15-110°	
 Exercises 	
 Continue all exercises 	listed above
 Elbow ROM in brace 	
 Initiate active ROM w 	rist and elbow (no resistance)
Phase II -Intermediate Phase (Week 4	-7)
• Goals	
 Gradual increase to full ROM 	

Regain and improve muscular strengthWeek 4

- o Brace: elbow ROM 0-125°
- Exercises
 - Begin light resistance exercises or arm (1 lbs)
 - Wrist curls, extensions, pronation, supination
 - Elbow ext/flexion

o Promote healing of repaired tissue

- o Progress shoulder program to emphasize rotator cuff strengthening
 - Avoid external rotation until week 6
- Week 5

Laith M. Jazrawi, MD

Associate Professor of Orthopaedics Chief - Division of Sports Medicine Tel: (212) 598-6784



- ROM: elbow ROM 0-135°
- o Discontinue brace
- Continue all exercises

Week 6

- o ROM: 0-145° without brace or full ROM
- Exercises
 - Progress elbow strengthening exercises
 - Initiate shoulder external rotation strengthening

Week 7

- o Initiate Thrower's Ten Program
- o Progress light isotonic program

Phase III -Advanced Strengthening Program (Week 8-13)

- Goals
 - o Improve strength/power/endurance
 - Maintain full elbow ROM
 - Gradual return to functional activities

Week 8-10

- Exercises
 - Initiate eccentric elbow flexion/extension
 - Continue
 - Isotonic program –forearm and wrist
 - Shoulder program –Thrower's Ten
 - Stretching program –especially elbow extension

Week 11-13

- Exercises
 - Continue all exercises listed above
 - Initiate plyometric exercise program

Phase IV -Return to Activity (week 14-32)

- Goals
 - o Continue to increase strength, power, and endurance of upper extremity musculature
 - Gradual return to activities
- Week 14
 - Exercises: continue strengthening program
 - Emphasis on elbow and wrist strengthening and flexibility exercises
 - Maintain full elbow ROM
- Week 16
 - Exercises
 - Initiate interval throwing program (phase I)
 - Continue all exercises
 - Stretch before and after throwing
- Week 22-24
 - Exercises
 - Progress to Phase II Throwing Program (once completed Phase I)
- Week 30
 - Exercises
 - Progress to competitive throwing



Laith M. Jazrawi, MD

Associate Professor of Orthopaedics Chief - Division of Sports Medicine Tel: (212) 598-6784

comments:	
Frequency: times per week	Duration: weeks
Signature:	Date: